SPEAKER POINTS

Control4 Speaker Points are ideal for homeowners who want to add zones of music in locations where pulling speaker wire is impractical.

FEATURES:

- > Stream music wirelessly to any room in your home.
- The Speaker Point features one analog-input source, one speaker-output zone and one line-level output zone.
- > Ethernet and WiFi capabilities



Control4® Speaker Point Ethernet AVE-RAA1-B Wireless AVG-RAA1-B

The Control4® Speaker Point delivers digital music to any room from any audio source. With both Ethernet and WiFi capabilities, the Speaker Point is ideal for those wanting to add music zones and for retrofit situations where pulling speaker wire through walls is impractical.

- High-quality audio with onboard 50W amplifier
- 1 analog input source, 1 speaker output zone and 1 line-level output zone
- Stream music wirelessly to any room in your home







	Control4® Speaker Point (Ethernet)	Control4® Speaker Point (WiFi)
Model Number	AVE-RAA1-B	AVE-RAA1-B
Analog Input Sources	1	1
Digital Input Sources	N/A	N/A
Speaker Output Zones	1	1
Line Level Output Zones	1	1
Rated Wattage per Channel	40 @ 8 ohms 50 @ 4 ohms	40 @ 8 ohms 50 @ 4 ohms
Frequency Response	10 Hz - 20 kHz ±5dB @ 8 ohms	10 Hz - 20 kHz ±5dB @ 8 ohms
Signal-to-Noise Ratio	>95 dB	>95 dB
ThD	<0.03% - 20 Hz - 20 kHz	<0.03% - 20 Hz - 20 kHz
Network Connectivity	10/100 BaseT Ethernet	10/100 BaseT Ethernet, WiFi
Tone Controls	Bass, Treble	Bass, Treble
Display	3 Status LEDs	3 Status LEDs
Full Matrix Switching	N/A	N/A
Independent Gain Control per Zone	N/A	N/A
Rack Mount Kit	N/A	N/A
Accessories	Banana Plug Kit (C4-BPLUG8)	Banana Plug Kit (C4-BPLUG8)
Voltage	120 - 240 VAC	120 - 240 VAC
Hertz	50/60 Hz	50/60 Hz
Operational Temperature	32° F - 104° F (0° C - 40° C)	32° F - 104° F (0° C - 40° C)
Humidity	5% - 95% Non-condensing	5% - 95% Non-condensing
Storage Temperature	-4° F - 158° F (-20° C - 70° C)	-4° F - 158° F (-20° C - 70° C)
HxWxD	2.23" x 8.65" x 8.65" (57mm × 220mm × 20mm)	2.23" x 8.65" x 8.65" (57mm × 220mm × 20mm)
Weight	1.8 lbs (.82 kg)	1.8 lbs (.82 kg)

For product photos, documentation and installation instructions, visit: http://www.control4.com/dealer/products/av/speakerpoint





Control4® Speaker Point Ethernet AVE-RAA1-B Wireless AVG-RAA1-B

The Control4® Speaker Point delivers digital music to any room from any audio source. With both Ethernet and WiFi capabilities, the Speaker Point is ideal for those wanting to add music zones and for retrofit situations where pulling speaker wire through walls is impractical.

- High-quality audio with onboard 50W amplifier
- 1 analog input source, 1 speaker output zone and 1 line-level output zone
- Stream music wirelessly to any room in your home







	Control4® Speaker Point (Ethernet)	Control4® Speaker Point (WiFi)
Model Number	AVE-RAA1-B	AVE-RAA1-B
Analog Input Sources	1	1
Digital Input Sources	N/A	N/A
Speaker Output Zones	1	1
Line Level Output Zones	1	1
Rated Wattage per Channel	40 @ 8 ohms 50 @ 4 ohms	40 @ 8 ohms 50 @ 4 ohms
Frequency Response	10 Hz - 20 kHz ±5dB @ 8 ohms	10 Hz - 20 kHz ±5dB @ 8 ohms
Signal-to-Noise Ratio	>95 dB	>95 dB
ThD	<0.03% - 20 Hz - 20 kHz	<0.03% - 20 Hz - 20 kHz
Network Connectivity	10/100 BaseT Ethernet	10/100 BaseT Ethernet, WiFi
Tone Controls	Bass, Treble	Bass, Treble
Display	3 Status LEDs	3 Status LEDs
Full Matrix Switching	N/A	N/A
Independent Gain Control per Zone	N/A	N/A
Rack Mount Kit	N/A	N/A
Accessories	Banana Plug Kit (C4-BPLUG8)	Banana Plug Kit (C4-BPLUG8)
Voltage	120 - 240 VAC	120 - 240 VAC
Hertz	50/60 Hz	50/60 Hz
Operational Temperature	32° F - 104° F (0° C - 40° C)	32° F - 104° F (0° C - 40° C)
Humidity	5% - 95% Non-condensing	5% - 95% Non-condensing
Storage Temperature	-4° F - 158° F (-20° C - 70° C)	-4° F - 158° F (-20° C - 70° C)
HxWxD	2.23" x 8.65" x 8.65" (57mm × 220mm × 20mm)	2.23" x 8.65" x 8.65" (57mm × 220mm × 20mm)
Weight	1.8 lbs (.82 kg)	1.8 lbs (.82 kg)

For product photos, documentation and installation instructions, visit: http://www.control4.com/dealer/products/av/speakerpoint

